



An Introduction to Data Intensive Computing

Amir H. Payberah
payberah@kth.se
2020-08-26





Course Information



Course Objective

- ▶ Provide students with a solid foundation for **understanding** large scale distributed **systems** used for **storing and processing** massive data.
- ▶ Cover a wide variety of advanced topics in **data intensive computing platforms**, i.e., the frameworks to **store and process** big data.



Intended Learning Outcomes (ILOs)

- ▶ **ILO1**: explaining **fundamental concepts** of **data-intensive computing platforms**, and also explain **how such platforms work**.



Intended Learning Outcomes (ILOs)

- ▶ **ILO1:** explaining **fundamental concepts** of **data-intensive computing platforms**, and also explain **how such platforms work**.
- ▶ **ILO2:** **storing and retrieving** data in **distributed stores**, e.g., distributed file systems or NoSQL databases.




Intended Learning Outcomes (ILOs)

- ▶ **ILO1:** explaining **fundamental concepts** of **data-intensive computing platforms**, and also explain **how such platforms work**.
- ▶ **ILO2:** **storing and retrieving** data in **distributed stores**, e.g., distributed file systems or NoSQL databases.
- ▶ **ILO3:** **processing** different types of data, e.g., structured, streaming and graph, using **data-intensive computing platforms**, such as Spark.



Intended Learning Outcomes (ILOs)

- ▶ **ILO1:** explaining **fundamental concepts** of **data-intensive computing platforms**, and also explain **how such platforms work**.
- ▶ **ILO2:** **storing and retrieving** data in **distributed stores**, e.g., distributed file systems or NoSQL databases.
- ▶ **ILO3:** **processing** different types of data, e.g., structured, streaming and graph, using **data-intensive computing platforms**, such as Spark.
- ▶ **ILO4:** building **advanced** applications using data-intensive platforms, and make **scalable** applications on a **cluster** of computers.





The Course Assessment

- ▶ **Task1**: the **review** questions.



The Course Assessment

- ▶ **Task1**: the **review** questions.
- ▶ **Task2**: the **lab** assignments.



The Course Assessment

- ▶ **Task1**: the **review** questions.
- ▶ **Task2**: the **lab** assignments.
- ▶ **Task3**: the final **project**.



How Each ILO is Assessed?

	Task1	Task2	Task3
ILO1	x	x	x
ILO2		x	x
ILO3		x	x
ILO4		x	x



Task1: The Review Questions (A-F)

- ▶ One review question **per week**.
- ▶ Questions about the **lectures**.
- ▶ The review questions are **graded (A-F)**.



Task2: The Lab Assignments (A-C-E)

- ▶ Two lab assignments: **source code** and **oral presentation**.



Task2: The Lab Assignments (A-C-E)

- ▶ Two lab assignments: **source code** and **oral presentation**.
- ▶ **E**: source code



Task2: The Lab Assignments (A-C-E)

- ▶ Two lab assignments: **source code** and **oral presentation**.
- ▶ **E**: source code
- ▶ **C**: source code + basic questions



Task2: The Lab Assignments (A-C-E)

- ▶ Two lab assignments: **source code** and **oral presentation**.
- ▶ **E**: source code
- ▶ **C**: source code + basic questions
- ▶ **A**: source code + advanced questions



Task3: The Final Project (A-D)

- ▶ One final project: **source code** and **oral presentation**.
- ▶ Proposed by students and confirmed by the teacher: **A-level** or **C-level** proposals.



Task3: The Final Project (A-D)

- ▶ One final project: **source code** and **oral presentation**.
- ▶ Proposed by students and confirmed by the teacher: **A-level** or **C-level** proposals.
- ▶ **D**: source code C-level proposal



Task3: The Final Project (A-D)

- ▶ One final project: **source code** and **oral presentation**.
- ▶ **Proposed by students** and confirmed by the teacher: **A-level** or **C-level** proposals.
- ▶ **D**: source code C-level proposal
- ▶ **C**: source code C-level proposal + questions



Task3: The Final Project (A-D)

- ▶ One final project: **source code** and **oral presentation**.
- ▶ Proposed by students and confirmed by the teacher: **A-level** or **C-level** proposals.
- ▶ **D**: source code C-level proposal
- ▶ **C**: source code C-level proposal + questions
- ▶ **B**: source code A-level proposal



Task3: The Final Project (A-D)

- ▶ One final project: **source code** and **oral presentation**.
- ▶ **Proposed by students** and confirmed by the teacher: **A-level** or **C-level** proposals.
- ▶ **D**: source code C-level proposal
- ▶ **C**: source code C-level proposal + questions
- ▶ **B**: source code A-level proposal
- ▶ **A**: source code A-level proposal + questions



The Final Grade

- ▶ The **final grade** is the **average** of the **two labs**, **the project**, and the **review questions**.



The Final Grade

- ▶ The **final grade** is the **average** of the **two labs**, **the project**, and the **review questions**.
- ▶ To compute it, map **A-F** to **5-1**, and take the average.



The Final Grade

- ▶ The **final grade** is the **average** of the **two labs**, the **project**, and the **review questions**.
- ▶ To compute it, map **A-F** to **5-1**, and take the average.
- ▶ The floating values are **rounded up**, if they are **more than half**, otherwise they are **rounded down**.
 - E.g., **3.6** will be rounded to **4**, and **4.2** will be rounded to **4**.



The Final Grade

- ▶ The **final grade** is the **average** of the **two labs**, **the project**, and the **review questions**.
- ▶ To compute it, map **A-F** to **5-1**, and take the average.
- ▶ The floating values are **rounded up**, if they are **more than half**, otherwise they are **rounded down**.
 - E.g., **3.6** will be rounded to **4**, and **4.2** will be rounded to **4**.
- ▶ The half grades will be **rounded up**, if you submit the assignments **before their deadlines**, otherwise they will be **rounded down**.



How to Submit the Assignments?

- ▶ Through the [Canvas](#) site.
- ▶ Students will work in **groups of two** on all the [Tasks](#).



The Course Material

- ▶ Mainly based on [research papers](#).
- ▶ We also cover the following books.





The Course Web Page

`https://id2221kth.github.io`



The Questions-Answers Page




<https://tinyurl.com/y4qph82u>



The Course Overview

Cloud Computing and Big Data

- ▶ The main trends:
 - Computers not getting any faster
 - Internet connections getting faster
 - More people connected to the Internet





Cloud Computing and Big Data

Conclusion

Move the **computation** and **storage** of **big data** to the **cloud**!

Cisco predicts that by 2020, **92%** of IT market workloads will be processed by **cloud data centers**, while only **8%** will be processed by **traditional data centers**.




Cloud Computing

Cloud Computing Definition


► **Cloud Computing** refers to both:

1. The **applications** delivered as **services** over the Internet
2. The **hardware and systems software** in the datacenters that provide those **services**




Cloud Computing Definition

- ▶ **Cloud Computing** refers to both:
 1. The **applications** delivered as **services** over the Internet
 2. The **hardware and systems software** in the datacenters that provide those **services**
- ▶ The **services**: called **Software as a Service (SaaS)**



Cloud Computing Definition

- ▶ **Cloud Computing** refers to both:
 1. The **applications** delivered as **services** over the Internet
 2. The **hardware and systems software** in the datacenters that provide those **services**
- ▶ The **services**: called **Software as a Service (SaaS)**
- ▶ The datacenter **hardware and software** is called **cloud**





▶ The **NIST** definition:

- Five **characteristics**
- Three **service models**
- Four **deployment models**

NIST

National Institute of Standards and Technology
Technology Administration, U.S. Department of Commerce

Cloud Characteristics

Cloud Characteristics



On-demand
self-service



Ubiquitous
network
access



Location
transparent
resource
pooling



Rapid
elasticity




Measured
service with
pay per use

[<http://aka.ms/532>]

Cloud Characteristics - On-demand Self-Service

- ▶ A consumer can **independently** provision **computing capabilities** without **human interaction** with the service provider.



On-demand
self-service

Cloud Characteristics - Ubiquitous Network Access

- ▶ Available over the **network**
- ▶ Accessed through mobile phones, laptops, ...



Ubiquitous
network
access

Cloud Characteristics - Resource Pooling




- ▶ Provider's computing resources are pooled to serve consumers
- ▶ Location transparent



Location
transparent
resource
pooling

Cloud Characteristics - Rapid Elasticity

- ▶ **Capabilities** can be rapidly and **elastically provisioned**, in some cases automatically.



Rapid elasticity

Cloud Characteristics - Measured Service

- ▶ **Resource usage** can be monitored, controlled, and reported providing transparency for both the **provider** and **consumer**.



Measured
service with
pay per use



Cloud Service Models

Cloud Service Models



SaaS



PaaS



IaaS

[<http://aka.ms/532>]

- ▶ Assume, you just moved to a city and you are looking for a place to live.



► What is your choice?



- ▶ What is your choice?
- Build a **new house**?
 - Buy an **empty house**?
 - Live in a **hotel**?



- ▶ Let's build a **new house!**



- ▶ Let's build a **new house!**
- ▶ You can **fully control** everything you like your new house to have.
- ▶ But that is a **hard work.**



- ▶ What if you buy an **empty house**?



- ▶ What if you buy an **empty house**?
- ▶ You can **customize** some part of your house.
- ▶ But never change the original architecture.



- ▶ How about living in a [hotel](#)?



- ▶ How about living in a **hotel**?
- ▶ Living in a hotel will be a good idea if the only thing you care is about enjoying your life.
- ▶ There is **nothing you can** do with the house except living in it.




Let's translate it to Cloud Computing




Service Models

- ▶ Infrastructure as a Service (**IaaS**): similar to **building a new house**.
- ▶ Platform as a Service (**PaaS**): similar to **buying an empty house**.
- ▶ Software as a Service (**SaaS**): similar to **living in a hotel**.


- ▶ Vendor provides **resources**, e.g., processing, storage, network, ...
- ▶ Consumer is provided customized **virtual machines**.
- ▶ **Example: Amazon Web Services (EC2 instances and S3 storage)**




- ▶ Vendor provides hardware and **development environment**.
- ▶ **Example: Google app engine**



- ▶ Vendor provides **applications** accessed over the network.
- ▶ Example: Gmail, Github



IaaS - PaaS - SaaS



[<https://goo.gl/xMko1z>]



Deployment Models

Deployment Models



VS




Publically Shared
Virtualised Resources



Privately Shared
Virtualised Resources



Supports multiple
customers



Cluster of dedicated
customers



Supports connectivity
over the internet



Connectivity over
internet, fibre and private network



Suited for less
confidential information



Suited for secured
confidential information
& core systems



[<https://goo.gl/fWmcGK>]

Public Cloud Infrastructure Vendors

- ▶ Amazon Web Services (AWS)
- ▶ Microsoft Azure
- ▶ Google Cloud Platform
- ▶ IBM Bluemix
- ▶ ...





Main Services

- ▶ Computing
- ▶ Storage
- ▶ Database
- ▶ Big data analytics
- ▶ ...

Computing Services

- ▶ Virtual machines
- ▶ Container services
- ▶ Serverless compute




VM



Container



Serverless




Storage Services

- ▶ File storage
- ▶ Block storage
- ▶ Object storage


File Storage



Block Storage




Object Storage



Database Services

- ▶ Relational Database Management Services (RDBMS)
- ▶ NoSQL databases
- ▶ In-Memory data services



Big Data Analytics

- ▶ Big Data Managed Cluster-as-a-Service
- ▶ Data warehouse
- ▶ Data streaming
- ▶ Data queuing





Big Data



“THAT’S your Ark for the Big Data flood? Noah, you will need a lot more storage space!”

[<https://www.kdnuggets.com/2012/12/cartoon-preparing-for-big-data-flood.html>]

What is Big Data?



[<https://www.sue-anderson.com.au/index.php/2017/08/18/cursing-curious-work>]



Big Data

Big data is the data characterized by 4 key attributes: volume, variety, velocity and value.

The Oracle logo is positioned on the right side of the slide. It consists of the word 'ORACLE' in a bold, red, sans-serif font, with a registered trademark symbol (®) at the end.



Big Data

Big data is the data characterized by 4 key attributes: volume, variety, velocity and value.

Buzzwords

ORACLE®



Big Data in Simple Words



DevOps Borat

@DEVOPS_BORAT


Small Data is when is fit in RAM.
Big Data is when is crash because
is not fit in RAM.

2/6/13, 8:22 AM




The Four Dimensions of Big Data

- ▶ **Volume:** data size
- ▶ **Velocity:** data generation rate
- ▶ **Variety:** data heterogeneity
- ▶ This 4th **V** is for **V**acillation:
Veracity/**V**ariability/**V**alue



Big Data Sources



How Much Data?

2020 *This Is What Happens In An Internet Minute*





How To Store and Process Big Data?



Problem

- ▶ Traditional platforms **fail** to show the expected performance.
- ▶ Need **new systems** to **store and process** large-scale data

Scale Up vs. Scale Out (1/2)

- ▶ Scale **up** or scale **vertically**: adding **resources** to a **single** node in a system.
- ▶ Scale **out** or scale **horizontally**: adding **more nodes** to a system.




Scale Up vs. Scale Out (2/2)

- ▶ Scale **up**: more **expensive** than scaling out.
- ▶ Scale **out**: more challenging for **fault tolerance** and **software development**.



APACHE
HBASE



Storm




S4 distributed stream
computing platform



Google Cloud Platform




Big Data Stack




Resource Management

- ▶ Manage resources of a cluster
- ▶ Share them among the platforms
- ▶ Mesos, YARN, Borg, ...




Data Storage - Distributed File Systems

- ▶ Store and retrieve **files** on/from distributed disks
- ▶ **GFS, HDFS, FlatFS, ...**




Data Storage - NoSQL Databases

- ▶ BASE instead of ACID
- ▶ BigTable, Dyanamo, Cassandra, ...




Data Storage - Messaging Systems

- ▶ Store streaming data
- ▶ Kafka, Flume, ActiveMQ, ...




Data Processing - Batch Data

- ▶ Process data-at-rest
- ▶ Data-parallel processing model
- ▶ MapReduce, FlumeJava, Spark, ...




Data Processing - Streaming Data

- ▶ Process data-in-motion
- ▶ Storm, Flink, Spark Streaming, ...




Data Processing - Linked Data (Graph)

- ▶ Graph-parallel processing model
- ▶ Vertex-centric and Edge-centric programming model
- ▶ Pregel, GraphLab, GraphX, ...




Data Processing - Structured Data

- ▶ Take advantage of **schemas** in data to process
- ▶ **Hive, Spark SQL, ...**




Data Processing - Machine Learning

- ▶ Data analysis, e.g., supervised and unsupervised learning
- ▶ Mahout, TensorFlow, MLlib, ...






Spark Processing Engine




Summary

Summary



[<http://aka.ms/532>]

Summary





References

- ▶ D. Sikeridis et al., A Comparative Taxonomy and Survey of Public Cloud Infrastructure Vendors, arXiv preprint arXiv:1710.01476, 2017.
- ▶ A. Fox et al., Above the clouds: A berkeley view of cloud computing, UCB/EECS 28.13 (2009): 2009.
- ▶ P. Mell et al., The NIST definition of cloud computing, 2011.

Questions?